

# GENERAL APPLICATIONS

Listed below are lubricants that will cover most general requirements. For questions on ratings, specific applications and recommendations please contact our Technical Service Department at **1-888-4-HUSKEY** from 6:00 A.M. to 4:30 P.M. P.S.T.

**NOTE:** IT IS BEST TO REFER TO THE OEM SERVICE MANUALS OF THE MACHINERY FOR SPECIFIC LUBRICANT RECOMMENDATIONS.

APPLICATIONS	CONDITIONS		
	NORMAL	HIGH TEMP	HIGH LOADS
<b>GENERAL GREASE</b>	COOLPLEX	105-HI TEMP	MOLYGRAPH or TUFF-STUFF
<b>GENERAL OIL</b>	HLO Series or SGL 800 Series	HLO Series or SGL 800 Series	HLO Series or SGL 800 Series
<b>HIGH SPEED BEARINGS</b>	COOLUBE or COOLUBE 65	HTS -2 or PF-30	HTS-2 or PF-29
<b>LOW SPEED BEARINGS</b>	TUFF-STUFF or MOLYPLEX	105-HI TEMP or PF-27	TUFF STUFF, DYNA-MITE RED or PF-27
<b>GEARS, ENCLOSED</b>	90 wt. GEAR OIL	140wt. GEAR OIL or SGL-800 Series	MOLY GEAR OILS
<b>GEARS, OPEN</b>	OPEN GEAR Grease	OPEN GEAR Grease	OPEN GEAR Grease
<b>HYDRAULIC EQUIPMENT</b>	HI-LO Series or HLO Series	HI-LO Series or HLO Series	HI-LO Series or HLO Series
<b>AIR COMPRESSORS</b>	N-500 Series	N-500 Series or S-800 Series	N-500 Series or S-800 Series
<b>ANTI-SEIZE</b>	341, 577 or 2000	2000 or 684	2000 or 684
<b>THREAD SEALANT</b>	400 or TFX-10	400	TFX-10
<b>WHEEL BEARINGS</b>	COOLPLEX	105-HI TEMP	TUFF STUFF or DYNA-MITE RED
<b>AIR TOOL AND LINE OIL</b>	HI-LO Series or HLO Series	HI-LO Series or HLO Series	HI-LO Series or HLO Series
<b>MIST SYSTEMS</b>	HLO Series or 15A14 Series	HLO Series or HI-LO Series	HLO Series or HI-LO Series
<b>CONVEYORS</b>	COOLPEX	105-HI TEMP	TUFF STUFF or DYNA-MITE RED
<b>CHAINS AND CABLES</b>	CHAIN AND CABLE	SGL-800 Series, OCL-G Series or 650 HT	SGL-800 Series, OCL-G Series or WIRELINE DRESSING
<b>PUMPS, GREASE</b>	TF-1000 or COOLPLEX	COOLPLEX or HTS-2	TUFF-STUFF or DYNA-MITE RED
<b>PUMPS, OILS</b>	HLO Series	HLO Series	HLO Series
<b>O-RINGS</b>	LVI-50, 350, HVS-100 or 221-R	HVS-100, 350 or 221-R	LUBE-O-SEAL
<b>RUST AND CORROSION</b>	RUST RELEASE	RUST RELEASE	RUST RELEASE
<b>DIELECTRIC</b>	HVS-100, 350 or 221-R	HVS-100, 350 or 221-R	LUBE "O" SEAL, HVS-100 or 350
<b>MOTOR ASSEMBLY</b>	MOLY-GRAPH or MOLYPASE	MOLY-GRAPH or MOLYPASE	MOLY-GRAPH or MOLYPASE
<b>SLIDES, CAMS</b>	TUFF-STUFF or COOLPLEX	105-HI TEMP	MOLYPLEX or DYNA-MITE RED
<b>VALVES, LUBRICATED</b>	NO.3	VALVE CHEAT-HER	VALVE CHEAT-HER

All **HUSKEY** greases are standard N.L.G.I. grade 2.

N.L.G.I. grades 00, 0 and 1 are available for centralized lubrication systems on request.

# FOOD GRADE (NSF/U.S.D.A. H-1 Registered) & ENVIRONMENTAL APPLICATIONS

Listed below are lubricants that will cover most applications requiring a NSF/U.S.D.A. H-1 Registration, for use where incidental food contact may occur. For questions on other ratings, specific applications and recommendations please contact our Technical Service Department at **1-888-4-HUSKEY** from 6:00 A.M. to 4:30 P.M. P.S.T.

**NOTE: IT IS BEST TO REFER TO THE OEM SERVICE MANUALS OF THE MACHINERY FOR SPECIFIC LUBRICANT RECOMMENDATIONS.**

APPLICATIONS	CONDITIONS:		
	NORMAL	HIGH TEMP	HIGH LOADS
<b>GENERAL GREASE</b>	775 FMG or LVI-50	HTL-500	775 FMG or LVI-50
<b>GENERAL OIL</b>	FG-300 Series or 15A14 Series	HI-LO Series	15A14 Series
<b>HIGH SPEED BEARINGS</b>	775 FMG or LVI-50	HTL-500 or PF-30	775 FMG, PF-30 or LVI-50
<b>LOW SPEED BEARINGS</b>	LUBE-O-SEAL	HTL-500 or PF-27	LUBE-O-SEAL or PF-27
<b>GEARS, ENCLOSED</b>	15A14 Series	HI-LO Series	HI-LO Series or 15A14 Series
<b>GEARS, OPEN</b>	LUBE-O-SEAL or HYDROLUBE	LUBE-O-SEAL or HYDROLUBE	HYDROLUBE
<b>HYDRAULIC EQUIPMENT</b>	FG-300 Series or 15A14 Series	HI-LO Series	HI-LO Series or 15A14 Series
<b>AIR TOOL AND LINE OIL</b>	15A14 Series	HI-LO Series or 15A14 Series	HI-LO Series or 15A14 Series
<b>ANTI-SEIZE</b>	FG-1800	FG-1800	FG-1800
<b>AIR COMPRESSORS</b>	HI-LO Series	HI-LO Series	HI-LO Series
<b>O-RINGS</b>	LVI-50 or HVS-100	HVS-100	LUBE-O-SEAL
<b>SLIDES, CAMS</b>	LVI-50 or LUBE-O-SEAL	HTL-500	HYDROLUBE
<b>THREAD SEALANT</b>	FG-1800	FG-1800	FG-1800
<b>MIST SYSTEMS</b>	15A14 Series	HI-LO Series or 15A14 Series	HI-LO or 15A14 Series
<b>DIELECTRIC</b>	HTL-500, 350 or HVS-100	HTL-500, 350 or HVS-100	HTL-500, 350 or HVS-100
<b>CONVEYORS</b>	775 FMG or LVI-50	HTL-500	775 FMG or LVI-50
<b>CHAIN AND CABLES</b>	FG-300 Series or 15A14 Series	HI-LO Series	HI-LO Series or 15A14 Series
<b>PUMPS, GREASE</b>	775 FMG or LVI-50	HTL-500	775 FMG or LVI-50
<b>PUMPS, OIL</b>	15A14 Series	HI-LO Series	HI-LO or 15A14 Series
<b>VALVES, LUBRICATED</b>	LUBE-O-SEAL Valve Grade	LUBE-O-SEAL Valve Grade	LUBE-O-SEAL Valve Grade
<b>HEAT EXCHANGERS</b>	HI-LO Series	HI-LO Series	HI-LO Series

All **HUSKEY** greases are standard N.L.G.I. grade 2.  
N.L.G.I. grades 00, 0 and 1 are available for centralized lubrication systems on request.

